

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	fifo and packet size indicator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/06 15:05
L2	8	1 and jumbo packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/06 15:05
L3	222	fifo and jumbo packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/06 15:05
L4	142	3 and (indicat\$3 with packet near3 size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/06 15:05
L5	8	4 and (indicat\$3 with start near3 packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/06 15:06
S1	2	((("5546347") or ("20030053367")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/11/05 11:38
S2	0	"10601816"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 13:02
S3	2	"20040257856"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 13:03

S4	219	network node and transmit fifo and receive fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 13:09
S5	11	S4 and write buffer and read buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 13:09
S6	15	S4 and input buffer and output buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 13:19
S7	287	network node and (transmit or tx) fifo and (receive or rx) fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 13:41
S8	29	S7 and (write or input) buffer and (read or output) buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 13:41
S9	27	S8 and enabl\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 13:53
S10	13	S8 and (enabl\$3 near3 signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 13:53
S11	4	S8 and (enabl\$3 near3 (read or output))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 13:54

S12	12	(transmit or tx) fifo with (read or output) buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 14:15
S13	37	network node with (transmit or tx) fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 14:45
S14	37	S13 and (network node with (receive or rx) fifo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 14:45
S15	0	liu-heyun.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 14:50
S16	1	liu-heyun-howard.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 14:50
S17	27	S7 and (enabl\$3 near3 read)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 14:51
S18	35727	"17" and (enabl\$3 near3 write)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 14:52
S19	22	S17 and (enabl\$3 near3 write)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 14:52

S20	1762	(transmit or tx) (fifo or first?in?first?out) and (receive or rx) (fifo or first?in?first?out)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:06
S21	354	S20 and (enabl\$3 near3 write)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:07
S22	259	S21 and (enabl\$3 near3 read)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:07
S23	142	S22 and (write or input) buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:08
S24	138	S23 and (read or output) buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:08
S25	7	S22 and ((write or input) buffer with (fifo or first?in?first?out))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:08
S26	142	S23 and (buffer with (fifo or first?in?first?out))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:09
S27	138	S24 and (buffer with (fifo or first?in?first?out))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:09

S28	1	S27 and clock terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:10
S29	138	S27 and clock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:10
S30	134	S27 and (clock or clk) signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:10
S31	122	S30 and double?word	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:10
S32	1	S7 and double?word	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:11
S33	0	S7 and doublenear3 word	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:11
S34	14	S7 and (double near3 word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:11
S35	1	S7 and (double near3 width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:13

S36	202	S20 and (double near3 word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:14
S37	46	S20 and ((double near3 word) with memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:15
S38	46	S20 and ((double near3 word) with (memory or array))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:15
S39	79747	fifo or first?in?first?out	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:30
S40	663	S39 with memory array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:30
S41	39	S40 and (S39 with (input or write) buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:30
S42	22	S41 and (S39 with (output or read) buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 15:31
S43	107	network node with fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 16:31

S44	37	network node with (transmit or tx) fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 16:32
S45	37	S44 and (network node with (receive or rx) fifo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 16:32
S46	2	S43 and (double near3 width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 16:43
S47	3	S43 and (double near3 word)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:20
S48	231	double near3 word with fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:21
S49	23	S48 and network node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 17:21
S50	5523	indicat\$3 with ((start or beginning) near3 packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 19:56
S51	1695	S50 and (indicat\$3 with ((end) near3 packet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 19:56

S52	697	S51 and fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 19:56
S53	298	S52 and (detect\$3 with indicat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 19:59
S54	2887	detect\$3 with ((start or beginning) near3 packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 19:59
S55	664	S54 and (detect\$3 with ((end) near3 packet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 20:00
S56	256	S55 and fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 20:00
S57	63	S56 and (enabl\$3 near3 read)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 20:01
S58	47	S57 and (enabl\$3 near3 write)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 20:01
S59	852	indicator with ((start or beginning) near3 packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 20:05

S60	172	S59 and (indicator with ((end) near3 packet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 20:05
S61	65	S60 and fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 20:05
S62	222	fifo and jumbo packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:25
S63	21	S62 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:25
S64	0	indicat\$3 with ((start or beginning) near3 jumbo packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:26
S65	0	detect\$3 with ((start or beginning) near3 jumbo packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:27
S66	0	detect\$3 with ((start or beginning) near5 jumbo packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:27
S67	0	detect\$3 with ((start or beginning) near5 jumbo packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:27

S68	2395	alternating near3 (clock or clk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:28
S69	207	S68 and fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:28
S70	49	S68 and ((clock or clk) with fifo)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:29
S71	13	alternating with (read near3 (clock or clk)) with (write near3 (clock or clk))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:29
S72	4	S71 and fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:29
S73	24	alternating near3 (clock or clk) with read with write	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:31
S74	12	S73 and fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/05 21:31

11/6/2010 3:35:21 PM

C:\Documents and Settings\krhu\My Documents\EAST\Workspaces\10601816 - buffer inside a FIFO.wsp